


OMEGA TRAC POWER WHEELCHAIRS (Fixed Seat ONLY – Models 1 and 2)

DEALER INFORMATION

Company:	Ship to Attn:	Phone:
Account #:	Order Date:	Address:
Ordered by:	PO #:	City: State: Zip:
Dealer Phone:	Dealer Fax:	Bill to Attn: Phone:
Therapist Name:	Address:	
Client Name:	City:	State: Zip:

ENVIRONMENT INFORMATION - Do you have a maximum allowable width restriction? If so, what is it?

Max Allowable Seat Width (at armpads):	Inches
Max Allowable Base Width (at tires):	Inches
NOTE: Choice of seat size, armpads, joystick mount and tires will affect the overall width of the chair.	



- 1 Seat Width** - Use this to measure seat width at its widest point. Measure to nearest inch.
- 2 Widest Point** - Measure the widest areas across the lower extremities if different from the hip width.
- 3 Width** - This measurement may influence hip width of arm style. Consider bulk of clothing, particularly a heavy winter coat, if relevant.
- 4 Hanger Angle and Length** - Determines how far the toes extend away from the body, measure from the horizontal. A tighter angle allows the electric power wheelchair to turn around in less space. Depends in part on ability of the knee to bend towards the perpendicular.
- 5 Seat Depth/ Seat reference point to Knee** - This will determine the seat depth. Some prefer more leg overhang to make room for their hand when lifting their leg.
- 6 Armrest Height** - Measure from the seat base to the top of the arm pad.
- 7 Back Height** - Measure from the seat base to the top of the chair back. Power wheelchair users need upper back support, particularly for the moment of initial acceleration.

CLIENT INFORMATION

Name:
Weight:
Height:

CLIENT MEASUREMENTS

Seat Width:	_____ inches (14" - 25", 1" increments)
Seat Depth:	_____ inches (14" - 25", 1" increments)
Seatback Height:	_____ inches (14" - 26", 1" increments)
Hanger Angle:	<input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° <input type="checkbox"/> 90° (STD)
Hanger Length:	<input type="checkbox"/> 13" (STD) <input type="checkbox"/> 9"
Armrest Height:	Right: _____ inches Left: _____ inches (8" to 15" in 1" increments)
Joystick Side:	<input type="checkbox"/> Right: <input type="checkbox"/> Left:



All prices are subject to change without notice. Pricing is for whole unit purchases. Individual part purchases will carry different pricing. HCPCS codes are only our understanding of the code definitions and not for billing/legal guidance.



All Model 1 and 2 wheelchairs include the following standard equipment.

- Patented TransmissionSteering® transaxle
- Front wheel drive power base with 1.0 hp drive motor
- Custom weight torsion sway bar
- Long travel suspension with shock absorbers
- Heavy duty caster yoke
- PREMIER Non-expandable controller (capable of upgrade to expandable controller and alternate control devices)
- PREMIER Joystick drive control
- Time-in-operation hour meter
- Powder coated black base frame
- Wet Black shroud
- Battery boxes without batteries
- Separate battery charger
- 3" x 10" one-piece steel drive wheels
- 3" x 10" gray gel-filled drive tires
- 3" x 4" anti-shimmy rear casters
- 3" x 4" gray gel-filled rear tires
- Powder coated black seat frame
- Adjustable height armrest with 2" x 12" gel arm pads
- Solid seat pan
- Solid/sling seatback
- Seat adjustable hip angle
- Standard Seat width 14" to 20"
- Standard Seat depth 14" to 20"
- Seatback height 14" to 26"
- Medicare standard 90° legrest and 6.5" footplate assembly

OmegaTrac Model 1 - Fixed Seat, No Power Option

Includes standard spring base equipment, with standard spring suspension, fixed armrests, up to and including 300 lbs capacity. Note: HEAVY DUTY is required if seat width is greater than 20". Default max speed is 4.8 MPH.

PART NUMBER	DESCRIPTION	HCPCS CODE	PRICE
NM03-50000-001	Fixed Seat - Light Duty	K0848	\$18,235.00

OmegaTrac Model 2 - Fixed Seat - Heavy Duty, No Power Option

Includes standard spring base equipment, with heavy-duty spring suspension, fixed armrests, from 301 to 450 pounds. Note: REQUIRED if seat width is greater than 20". Default max speed is 4.3 MPH.

PART NUMBER	DESCRIPTION	HCPCS CODE	PRICE
NM03-50000-002	Fixed Seat - Heavy Duty	K0850	\$18,551.00

Base

PART #	DESCRIPTION	HCPCS	PRICE
--------	-------------	-------	-------

BATTERIES

U500	Batteries, Group 24 Gel Cell (Pair)	E2363	\$433.00
------	-------------------------------------	-------	----------

SUSPENSION Separate front and rear adjustment controls to create 5° of anterior and posterior suspension angle to provide pressure relief. Adjusts suspension seat to floor height from 19" to 16" for improved accessibility and transferability.

U599	Air Adjustable Suspension - Operated through a toggle switch ONLY	K0108	\$884.00
------	---	-------	----------

STANDARD COLORS

U105	Wet Black (2321)	K0108	N/C
U501	Red Pepper (2328)	K0108	N/C
U502	Patriotic Blue (2329)	K0108	N/C

CUSTOM COLORS

U272	Custom Paint	K0108	\$389.00
U503	Camouflage (Inquire for available pattern)	K0108	\$977.00

FRONT RIGGING – FIXED ANGLE, ADJUSTABLE HEIGHT LEGREST (Pair)

U504	60°, 9" Short Legrest	K0108	\$20.00
U505	70°, 9" Short Legrest	K0108	\$20.00
U506	80°, 9" Short Legrest	K0108	\$20.00
U507	90°, 9" Short Legrest	K0108	\$20.00
U508	60°, 13" Standard Legrest	K0108	\$20.00
U509	70°, 13" Standard Legrest	K0108	\$20.00
U510	80°, 13" Standard Legrest	K0108	\$20.00
U511	90°, 13" Standard Legrest	K0108	STD
U172	Center Post Adjustable Footboard - (Note: Footboard selection is for MODEL 1 ONLY and will replace any previously selected Legrest/Footrest)	K0108	\$681.00

FRONT RIGGING - MANUAL ELEVATING LEGREST (Pair)

U513	70°, 9" Short Legrest	E0990	\$318.00
U514	80°, 9" Short Legrest	E0990	\$318.00

Base (continued)

PART #	DESCRIPTION	HCPCS	PRICE
--------	-------------	-------	-------

FRONT RIGGING - MANUAL ELEVATING LEGREST (Pair) cont.

U515	90°, 9" Short Legrest	E0990	\$318.00
U517	70°, 13" Standard Legrest	E0990	\$327.00
U518	80°, 13" Standard Legrest	E0990	\$327.00
U519	90°, 13" Standard Legrest	E0990	\$327.00

FOOTPLATES – FIXED (Pair)

U520	7.0" x 6.5", 9" Footplate	K0108	\$20.00
U521	7.0" x 8.5", 9" Footplate	K0108	\$20.00
U522	8.0" x 6.5", 9" Footplate	K0108	\$20.00
U523	8.0" x 8.5", 9" Footplate	K0108	\$20.00
U524	7.0" x 6.5", 13" Footplate	K0108	STD
U525	7.0" x 8.5", 13" Footplate	K0108	\$20.00
U526	8.0" x 6.5", 13" Footplate	K0108	\$20.00
U527	8.0" x 8.5", 13" Footplate	K0108	\$20.00
U528	Adjustable Ankle Angle Footplate (Single, Left)	K0040	\$438.00
U529	Adjustable Ankle Angle Footplate (Single, Right)	K0040	\$438.00

ACCESSORIES

U130	Legrest Latch Kit (Pair, for fixed only)	K0051	\$75.00
U163	Calf Pads - Flat (Pair)	K0108	\$561.00
U266	Labac Calf Pads - Trough (Pair)	K0108	\$782.00
U530	Knee Adductor Kit - Fixed Legrest	K0108	\$204.00
U531	Knee Adductor Kit - Elevating Legrest	K0108	\$163.00
U120	EZ-Lock Compatible Anchor Pin (Note: Must also select Air Suspension)	K0108	\$482.00
U532	Lighting/Horn Package with Fuse Kit	K0108	\$1,059.00
U211	Public Transportation Tie-Down Kit	K0108	\$84.00
U213	Tow Hitch	K0108	\$269.00



Seating				
	PART #	DESCRIPTION	HCPCS	PRICE
SEAT BACK				
	U600	ActaBac Seat Back (up to 19" high)	E2614	\$521.10
	U601	ActaBac Seat Back (up to 22" high)	E2614	\$521.10
	U650	Solid Upholstery Seat Back	K0108	STD
	U651	Sling Seat Back	K0108	N/C
CUSTOM MODIFICATIONS				
	U533	Seat Width (21" to 23") For MODEL 2 ONLY	K0108	\$318.00
	U534	Seat Width (24" to 25") For MODEL 2 ONLY	K0108	\$485.00
	U535	Seat Depth (21")	K0108	\$398.00
	U536	Seat Depth (22" to 25")	K0108	\$627.00
	U106	Seat to Floor Height (over 19" to 21")	K0108	\$370.00
SEAT ACCESSORIES				
	U164	Adjustable Headrest Pad - Requires Multi-Axis Mount Below	E0955	\$118.00
	U538	Multi-Axis Mount	E1028	\$202.00
	U273	Stealth TWB480 Series Headrest Pad - Requires Stealth TWB480-1 Multi-Axis Mount Below	E0955	\$204.00
	U539	Stealth TWB480-1 Multi-Axis Mount	E1028	\$314.00
	U160	Fixed Laterals - 6" x 8" (Pair)	E0956	\$279.00
	U540	Stealth Flip Back Laterals - 3" x 5" (Pair)	E0956	\$275.00
	U541	Stealth Flip Back Laterals - 4" x 6" (Pair)	E0956	\$275.00
	U542	Stealth Flip Back Laterals - 5" x 7" (Pair)	E0956	\$275.00
	U543	AES Padded Anterior Trunk Strap (Med) - 3' High x 12" Wide	E0960	\$302.00
	U544	AES Padded Anterior Trunk Strap (Lg) - 4' High x 14" Wide	E0960	\$302.00
	U545	AES Padded Anterior Trunk Strap (XLg) - 4' High x 16" Wide	E0960	\$302.00
ARMRESTS - (Includes STD 2" x 12" Gel Arm Pad)				
	U546	Swing-away Joystick Mount - Left	E1028	\$493.00
	U547	Swing-away Joystick Mount - Right	E1028	\$493.00
	U548	Adjustable Height Armrest 8" - 11" (Pair)	E0973	STD
	U549	Adjustable Height Armrest 12" - 15" (Pair)	E0973	\$265.00
	U550	Flip-up Armrest 8" in height (Pair)	K0108	\$825.00
	U551	Flip-up Armrest 9" in height (Pair)	K0108	\$825.00
	U552	Flip-up Armrest 10" in height (Pair)	K0108	\$825.00
	U553	Flip-up Armrest 11" in height (Pair)	K0108	\$825.00
	U554	Flip-up Armrest 12" in height (Pair)	K0108	\$825.00
	U555	Flip-up Armrest 13" in height (Pair)	K0108	\$825.00
	U556	Flip-up Armrest 14" in height (Pair)	K0108	\$825.00
	U557	Flip-up Armrest 15" in height (Pair)	K0108	\$825.00
ARM PADS (Pair)				
	U605	2" x 12" Gel Arm Pads	K0019	STD
	U259	4" x 12" Gel Arm Pads	K0019	\$196.00
	U260	2" x 10" Labac Arm Pads	K0019	\$232.00
	U261	2" x 12" Labac Arm Pads	K0019	\$260.00
	U262	2" x 15" Labac Arm Pads	K0019	\$278.00
	U263	4" x 10" Labac Arm Pads	K0019	\$304.00
	U264	4" x 12" Labac Arm Pads	K0019	\$328.00
	U265	4" x 15" Labac Arm Pads	K0019	\$350.00

Wheels and Tires				
	PART #	DESCRIPTION	HCPCS	PRICE
DRIVE WHEELS/TIRES - 3" x 10" Steel Wheel Assembly (Pair)				
	U184	Air 2.5" x 10" Black Knobby Tread	K0108	\$132.00
	U183	Air 3" x 10" Gray Universal Tread	K0108	N/C
	U268	Air 3" x 10" Black Universal Tread	K0108	N/C
	U559	Gel 2.5" x 10" Black Knobby Tread	K0108	\$186.00
	U560	Gel 3" x 10" Gray Universal Tread	K0108	STD
	U561	Gel 3" x 10" Black Universal Tread	K0108	N/C
DRIVE WHEELS/TIRES - 4" x 8" 2-Piece Aluminum Wheel Assembly (Pair)				
	U185	Air 4" x 8" Gray Universal Tread	K0108	\$332.00
	U257	Air 4" x 8" Gray Studded Tread	K0108	\$332.00
	U186	Air 4" x 8" Black Studded Tread	K0108	\$332.00
	U267	Air 4" x 8" Black Tractor Tread	K0108	\$400.00
	U562	Gel 4" x 8" Gray Universal Tread	K0108	\$366.00
	U563	Gel 4" x 8" Gray Studded Tread	K0108	\$366.00
	U564	Gel 4" x 8" Black Studded Tread	K0108	\$366.00
	U565	Gel 4" x 8" Black Tractor Tread	K0108	\$460.00
DRIVE WHEELS/TIRES - 6.5" x 8" 2-Piece Aluminum Wheel Assembly (Pair)				
	U193	Air 6.5" x 8" Black Tractor Tread	K0108	\$500.00
	U566	Gel 6.5" x 8" Black Tractor Tread	K0108	\$560.00
Note: Use of these wheels will result in a 30.5" base width at the tires.				
CASTER WHEELS/TIRES				
	U567	Air 3" x 4" Gray Ribbed Tread	K0108	N/C
	U188	Air 3" x 4" Black Ribbed Tread	K0108	N/C
	U270	Air 3" x 4" Black Studded Tread	K0108	\$60.00
	U568	Gel 3" x 4" Gray Ribbed Tread	K0108	STD
	U569	Gel 3" x 4" Black Ribbed Tread	K0108	N/C
	U570	Gel 3" x 4" Black Studded Tread	K0108	\$120.00
DUAL 2" X 4" CASTER ASSEMBLY - for MODEL 1 ONLY				
	U205	Solid 2" x 4" Gray Ribbed Tread	K0108	N/C
NOTE: Assembly will shorten the length of the device by approximately 4". Assembly is NO CHARGE as a replacement of standard casters.				
OPTIONAL ADAPTIVE CONTROLS				
	U571	Joystick with External Control Attachment - Comes with dual toggle switch box to control joystick functions. For new chair sale only. Not available as a replacement part.	E2312	\$105.00
NOTE: The joystick function "On/Off" and "Horn" are controlled on one toggle. The joystick function "Mode" and "Level" are controlled on the second toggle.				
	U572	Switch Box - Allows for 4 Tash style mono 1/8 stereo connector switches to be used in place of dual toggle box (Switches NOT INCLUDED). Requires U571 to operate.	E2313	\$110.00
	U579	Chin Control Unit via External Joystick Housing - Includes boom and mounts	E2312	\$2497.50
	S108	Alternate Control Interface - Required for Sip'n'Puff, Head Array and Chin Control (U580)	E2328	\$5597.00
	U573	* Sip'n'Puff Control Unit - Requires safety switch	E2326	\$351.90
	U574	* ASL Head Array Control Unit - Comes with safety switch	E2330	\$5367.50
	U578	* Switch-it Head Array Control Unit - Requires safety switch	E2330	\$7335.90
	U580	* Chin Control Unit - Requires safety switch. Includes boom and mounts.	E2312	\$1147.50
	U581	Infrared Safety Switch - Recommended for Sip'n'Puff	K0108	\$985.00
	U582	Discrete Safety Switch - Recommended for Chin and Head Array	K0108	\$170.00



OTHER CHARGES			
	Whole Unit Freight (Mich. Freight TBD)		\$500.00

WARRANTY

This warranty has been drafted to comply with the U.S. Federal Law applicable to products manufactured after July 4, 1975. This warranty is extended only to the original purchaser/consumer or dealer/non-consumer that does not buy for resale. Your OmegaTrac is warranted to be free from defects in material and workmanship to the original owner for the following periods:

Frame	Lifetime
Seat Frame/Subframes	Lifetime
Drive Train and Suspension Parts.....	2 years
Drive and Steering Motors.....	1 year
Control (Electronics & Joystick)	1 year
Battery and Actuators.....	6 months
Plastics, Tires, and Upholstery.....	6 months for manufacturer defect only
Arm Pads, Headrest, and Handgrips.....	6 months for manufacturer defect only (Normal Wear and Tear Not Covered)

NEXT Mobility will repair or replace drive train and suspension parts manufactured by **NEXT Mobility** without charge if these parts fail in the first two years due to defect. All other parts not specifically identified above are warranted for SIX months from the original purchase date. **NEXT Mobility**, at its option, will replace or repair the defective product subject to the following terms, conditions and limitations.

NEXT Mobility will not warrant components damaged by abuse, improper use, immersion, improper installation or use outside of the design parameters of the chair as listed on the specification sheet. Improper use or unauthorized changes to the OmegaTrac and the First-Class® seating system will void all warranties.

Warranties cover parts and components only. All warranty work must be prior authorized by **NEXT Mobility**.

The Warranty period for the consumer commences on the first date a product is delivered to consumer by seller/dealer. If the product is rented or leased, the warranty period commences on the invoice date from **NEXT Mobility**. A copy of the invoice showing date of purchase must be provided. Without a proof of purchase date, warranty coverage shall commence upon **NEXT Mobility's** invoice date to the dealer/purchaser.

If within the warranty period, the product or component part is proven to **NEXT Mobility's** satisfaction to be defective, such product or part shall be repaired or replaced at **NEXT Mobility's** option. **NEXT MOBILITY'S SOLE OBLIGATION AND YOUR EXCLUSIVE REMEDY UNDER THIS WARRANTY SHALL BE**

LIMITED TO SUCH REPAIR AND/OR REPLACEMENT. This warranty does not include any labor charges incurred in replacement part(s) installation. Freight charges to the manufacturer are at the expense of consumer or purchaser, and will not be reimbursed.

LIMITATIONS AND EXCLUSIONS: The foregoing warranty shall not apply to serial numbered products if the serial number has been removed or defaced. Products subjected to negligence, abuse, misuse, improper operation, improper maintenance or improper storage, or damages beyond **NEXT Mobility's** control are not covered by this warranty, and that evaluation shall be solely determined by **NEXT Mobility**. This warranty shall not apply to problems arising from normal wear and tear or failure to follow instructions. The warranty shall also not apply to products modified without **NEXT Mobility's** express written consent; nor shall it apply if parts not manufactured by **NEXT Mobility**, or if parts not complying with original equipment specifications are added to **NEXT Mobility's** products, or if the product or part is serviced by an entity not authorized by **NEXT Mobility**.

The foregoing warranty is exclusive and in lieu of all other express warranties and implied warranties, including but not limited to the implied warranties of the merchantability and fitness for a particular purpose, and shall not extend beyond the duration of the express warranty provided herein, and the remedy for violations of any implied warranty shall be limited to the repair or replacement of the defective product or part pursuant to the terms obtained herein. **NEXT Mobility** shall not be liable for any consequential or incidental damages whatsoever.

This warranty gives you specific legal rights and you may also have other legal rights, which by location of purchase. Some locations do not allow the exclusion or limitations of incidental or consequential damage, or limitation on how long an implied warranty lasts, so the above exclusion and limitation may not apply to you.

For warranty service, **please contact the authorized dealer from whom you acquired your NEXT Mobility product.** In the event you do not receive satisfactory warranty service, please contact **NEXT Mobility**. Do not return products to our factory without prior authorization.

How to contact **NEXT Mobility**:

Next Mobility
 c/o Customer Service
 7444 Haggerty Road
 Canton, MI 48187 USA

Website: www.nextmobilitynow.com
 Toll Free: 888-489-NEXT (6398)