

OMEGA TRAC POWER WHEELCHAIRS

(Tilt OR Recline Seat ONLY – Models 3 and 4)

| DEALER INFORMATION | | | |
|--------------------|-------------|---------------|-------------|
| Company: | | Ship to Attn: | Phone: |
| Account #: | Order Date: | Address: | |
| Ordered by: | PO #: | City: | State: Zip: |
| Dealer Phone: | Dealer Fax: | Bill to Attn: | Phone: |
| Therapist Name: | | Address: | |
| Client Name: | | City: | State: Zip: |

| ENVIRONMENT INFORMATION - Do you have a maximum allowable width restriction? If so, what is it? | |
|--|--------|
| Max Allowable Seat Width (at armpads): | Inches |
| Max Allowable Base Width (at tires): | Inches |
| NOTE: Choice of seat size, armpads, joystick mount and tires will affect the overall width of the chair. | |

| CLIENT INFORMATION | |
|--------------------|--|
| Name: | |
| Weight: | |
| Height: | |

| CLIENT MEASUREMENTS | |
|---------------------|---|
| Seat Width: | _____ inches (16" - 25", 1" increments) |
| Seat Depth: | _____ inches (16" - 25", 1" increments) |
| Seatback Height: | _____ inches (16" - 28" for TILT, 19" - 28" for RECLINE, 1" increments) |
| Hanger Angle: | <input type="checkbox"/> 60° <input type="checkbox"/> 70° <input type="checkbox"/> 80° <input type="checkbox"/> 90° (STD) |
| Hanger Length: | <input type="checkbox"/> 13" (STD) <input type="checkbox"/> 9" |
| Armrest Height: | Right: _____ inches Left: _____ inches (8" to 15" in 1" increments) |
| Joystick Side: | <input type="checkbox"/> Right: <input type="checkbox"/> Left: |

- 1 Seat Width** - Use this to measure seat width at its widest point. Measure to nearest inch.
- 2 Widest Point** - Measure the widest areas across the lower extremities if different from the hip width.
- 3 Width** - This measurement may influence hip width of arm style. Consider bulk of clothing, particularly a heavy winter coat, if relevant.
- 4 Hanger Angle and Length** - Determines how far the toes extend away from the body, measure from the horizontal. A tighter angle allows the electric power wheelchair to turn around in less space. Depends in part on ability of the knee to bend towards the perpendicular.
- 5 Seat Depth/ Seat reference point to Knee** - This will determine the seat depth. Some prefer more leg overhang to make room for their hand when lifting their leg.
- 6 Armrest Height** - Measure from the seat base to the top of the arm pad.
- 7 Back Height** - Measure from the seat base to the top of the chair back. Power wheelchair users need upper back support, particularly for the moment of initial acceleration.



All prices are subject to change without notice. Pricing is for whole unit purchases. Individual part purchases will carry different pricing. HCPCS codes are only our understanding of the code definitions and not for billing/legal guidance.



All Model 3 and 4 wheelchairs include the following standard equipment.

- Patented TransmissionSteering® transaxle
 - Front wheel drive power base with 1.0 hp drive motor
 - Custom weight torsion sway bar
 - Long travel suspension with shock absorbers
 - Heavy duty caster yoke
 - PREMIER Expandable controller
 - PREMIER Joystick drive control
 - Time-in-operation hour meter
 - Powder coated black base frame
 - Wet Black shroud
 - Battery boxes without batteries
 - Separate battery charger
- 3" x 10" one-piece steel drive wheels
 - 3" x 10" gray gel-filled drive tires
 - 3" x 4" anti-shimmy rear casters
 - 3" x 4" gray gel-filled rear tires
 - Powder coated black seat frame
 - Adjustable height armrest with 2" x 12" gel arm pads
 - Solid seat pan
 - Solid seatback
 - Seat adjustable hip angle
 - Standard Seat width 16" to 20"
 - Standard Seat depth 16" to 20"
 - Seatback height 16" (tilt), 18" (recline) to 26"
 - Medicare standard 90° legrest and 6.5" footplate assembly

OmegaTrac Model 3 - Light Duty, Tilt or Recline Seating Option

Includes standard spring base equipment, with standard spring suspension, fixed armrests, up to and including 300 pounds. This model allows for Tilt or Recline function through the joystick or switch box. Note: HEAVY DUTY is required if seat width is greater than 20". Default max speed is 4.8 MPH.

| PART NUMBER | DESCRIPTION | HPCPS | PRICE |
|----------------|----------------------------------|-------|-------------|
| NM03-50000-003 | Light Duty, Tilt or Recline Seat | K0856 | \$16,926.00 |

OmegaTrac Model 4 - Heavy Duty, Tilt or Recline Seating Option

Includes standard spring base equipment, with heavy-duty spring suspension, fixed armrests, from 301 to 450 pounds. This model allows for Tilt or Recline functions through the joystick or switch box. Note: REQUIRED if seat width is greater than 20". Default max speed is 4.3 MPH.

| PART NUMBER | DESCRIPTION | HPCPS | PRICE |
|----------------|----------------------------------|-------|-------------|
| NM03-50000-004 | Heavy Duty, Tilt or Recline Seat | K0858 | \$17,242.00 |

Base

| PART # | DESCRIPTION | HPCPS | PRICE |
|---|---|-------|----------|
| BATTERIES | | | |
| U500 | Batteries, Group 24 Gel Cell (Pair) | E2363 | \$433.00 |
| SUSPENSION Separate front and rear adjustment controls to create 5° of anterior and posterior suspension angle to provide pressure relief. Adjusts suspension seat to floor height from 19" to 16" for improved accessibility and transferability. | | | |
| U599 | Air Adjustable Suspension - Operated through a joystick ONLY | K0108 | \$884.00 |
| STANDARD COLORS | | | |
| U105 | Wet Black (2321) | K0108 | N/C |
| U501 | Red Pepper (2328) | K0108 | N/C |
| U502 | Patriotic Blue (2329) | K0108 | N/C |
| CUSTOM COLORS | | | |
| U272 | Custom Paint | K0108 | \$389.00 |
| U503 | Camouflage (Inquire for available pattern) | K0108 | \$977.00 |
| FRONT RIGGING – FIXED ANGLE, ADJUSTABLE HEIGHT LEGREST (Pair) | | | |
| U504 | 60°, 9" Short Legrest | K0108 | \$20.00 |
| U505 | 70°, 9" Short Legrest | K0108 | \$20.00 |
| U506 | 80°, 9" Short Legrest | K0108 | \$20.00 |
| U507 | 90°, 9" Short Legrest | K0108 | \$20.00 |
| U508 | 60°, 13" Standard Legrest | K0108 | \$20.00 |
| U509 | 70°, 13" Standard Legrest | K0108 | \$20.00 |
| U510 | 80°, 13" Standard Legrest | K0108 | \$20.00 |
| U511 | 90°, 13" Standard Legrest | K0108 | STD |
| U172 | Center Post Adjustable Footboard - Footboard selection is for MODEL 3 ONLY and will replace any previously selected Legrest/Footrest) | K0108 | \$681.00 |

Base (continued)

| PART # | DESCRIPTION | HPCPS | PRICE |
|---|---|-------|----------|
| FRONT RIGGING - MANUAL ELEVATING LEGREST (Pair) | | | |
| U513 | 70°, 9" Short Legrest | E0990 | \$318.00 |
| U514 | 80°, 9" Short Legrest | E0990 | \$318.00 |
| U515 | 90°, 9" Short Legrest | E0990 | \$318.00 |
| U517 | 70°, 13" Standard Legrest | E0990 | \$327.00 |
| U518 | 80°, 13" Standard Legrest | E0990 | \$327.00 |
| U519 | 90°, 13" Standard Legrest | E0990 | \$327.00 |
| FRONT RIGGING - POWER ELEVATING LEGREST (Pair) - As default, controlled by toggle switch | | | |
| U576 | 70°, 9" Short Legrest | E1010 | \$660.00 |
| U577 | 80°, 9" Short Legrest | E1010 | \$660.00 |
| U583 | 90°, 9" Short Legrest | E1010 | \$660.00 |
| U585 | 70°, 13" Standard Legrest | E1010 | \$669.00 |
| U586 | 80°, 13" Standard Legrest | E1010 | \$669.00 |
| U587 | 90°, 13" Standard Legrest | E1010 | \$669.00 |
| FOOTPLATES – FIXED (Pair) | | | |
| U520 | 7.0" x 6.5", 9" Footplates | K0108 | \$20.00 |
| U521 | 7.0" x 8.5", 9" Footplates | K0108 | \$20.00 |
| U522 | 8.0" x 6.5", 9" Footplates | K0108 | \$20.00 |
| U523 | 8.0" x 8.5", 9" Footplates | K0108 | \$20.00 |
| U524 | 7.0" x 6.5", 13" Footplates | K0108 | STD |
| U525 | 7.0" x 8.5", 13" Footplates | K0108 | \$20.00 |
| U526 | 8.0" x 6.5", 13" Footplates | K0108 | \$20.00 |
| U527 | 8.0" x 8.5", 13" Footplates | K0108 | \$20.00 |
| U528 | Adjustable Ankle Angle Footplate (Single, Left) | K0040 | \$438.00 |



| Seating | | | | |
|--|--------|--|-------|-----------|
| | PART # | DESCRIPTION | HCPCS | PRICE |
| ACCESSORIES - NOTE: Public Trans Tie Down Kit and Tow Hitch can be ordered together up to a seat depth of 19". After 19", only one or the other can be ordered. | | | | |
| | U130 | Legrest Latch Kit (Pair, for fixed only) | K0051 | \$75.00 |
| | U163 | Calf Pads - Flat (Pair) | K0108 | \$561.00 |
| | U266 | Labac Calf Pads - Trough (Pair) | K0108 | \$782.00 |
| | U530 | Knee Adductor Kit - Fixed Legrest | K0108 | \$204.00 |
| | U531 | Knee Adductor Kit - Elevating Legrest | K0108 | \$163.00 |
| | U120 | EZ-Lock Compatible Anchor Pin - Must select Air Suspension | K0108 | \$482.00 |
| | U532 | Lighting/Horn Package with Fuse Kit | K0108 | \$1059.00 |
| | U211 | Public Transportation Tie-Down Kit - See note above | K0108 | \$84.00 |
| | U213 | Tow Hitch - See note above | K0108 | \$269.00 |
| SEAT BACK | | | | |
| | U600 | ActaBac Seat Back (up to 19" high) | E2614 | \$521.10 |
| | U601 | ActaBac Seat Back (up to 22" high) | E2614 | \$521.10 |
| | U650 | Solid Upholstery Seat Back | K0108 | STD |
| FIRST CLASS® POWER SEATING | | | | |
| ✓ | U589 | Expandable Controller - Required for power seating | E2377 | \$476.90 |
| | U591 | Electronic Connection Accessory - Can be used to control all tilt or recline seat functions as well as Power Elevating Legrests through the joystick. Eliminates ALL toggle switches. | E2310 | \$970.00 |
| | U592 | Standard Tilt Seating System - Model 3 Adjustable 60° tilt angle, 90° to 114° hip angle | E1002 | \$3953.00 |
| | U594 | Standard Recline Seating System - Model 3 Adjustable 90° to 165° recline angle | E1004 | \$4429.00 |
| | U593 | Heavy Duty Tilt Seating System - Model 4 Adjustable 45° tilt angle, 90° to 114° hip angle | E1002 | \$4315.00 |
| | U595 | Heavy Duty Recline Seating System - Model 4 Adjustable 90° to 120° recline angle | E1004 | \$4591.00 |
| CUSTOM MODIFICATIONS (specified dimensions must be in 1" increments) | | | | |
| | U533 | Seat Width (21" to 23") For MODEL 4 ONLY | K0108 | \$318.00 |
| | U534 | Seat Width (24" to 25") For MODEL 4 ONLY | K0108 | \$485.00 |
| | U535 | Seat Depth (21") | K0108 | \$398.00 |
| | U536 | Seat Depth (22" to 25") | K0108 | \$627.00 |
| | U537 | Seatback Height (27" to 28") | K0108 | \$784.00 |
| | U106 | Seat to Floor Height (over 19" to 21") | K0108 | \$370.00 |
| POWER ACCESSORIES | | | | |
| | U598 | Attendant Controls - A switch box is mounted on the rear of the chair allowing either the user or the Attendant to control the chair. Attendant control is achieved via a separate joystick mounted on the rear of the seat. | K0108 | \$2364.00 |
| SEAT ACCESSORIES | | | | |
| | U164 | Adjustable Headrest Pad (Requires Multi-Axis Mount Below) | E0955 | \$118.00 |
| | U538 | Multi-Axis Mount | E1028 | \$202.00 |
| | U273 | Stealth TWB480 Series Headrest Pad (Requires Stealth TWB480-1 Multi-Axis Mount Below) | E0955 | \$204.00 |
| | U539 | Stealth TWB480-1 Multi-Axis Mount | E1028 | \$314.00 |
| | U160 | Fixed Laterals - 6" x 8" (Pair) | E0956 | \$279.00 |
| | U540 | Stealth Flip Back Laterals - 3" x 5" (Pair) | E0956 | \$275.00 |
| | U541 | Stealth Flip Back Laterals - 4" x 6" (Pair) | E0956 | \$275.00 |

| Seating - Cont. | | | | |
|---|--------|--|-------|----------|
| | PART # | DESCRIPTION | HCPCS | PRICE |
| SEAT ACCESSORIES - Cont. | | | | |
| | U542 | Stealth Flip Back Laterals - 5" x 7" (Pair) | E0956 | \$275.00 |
| | U543 | AES Padded Anterior Trunk Strap (Med) - 3" High x 12" Wide | E0960 | \$302.00 |
| | U544 | AES Padded Anterior Trunk Strap (Lg) - 4" High x 14" Wide | E0960 | \$302.00 |
| | U545 | AES Padded Anterior Trunk Strap (XLg) - 4" High x 16" Wide | E0960 | \$302.00 |
| ARMRESTS - (Includes STD 2" x 12" Gel Arm Pad) | | | | |
| | U546 | Swing-away Joystick Mount - Left | E1028 | \$493.00 |
| | U547 | Swing-away Joystick Mount - Right | E1028 | \$493.00 |
| | U548 | Adjustable Height Armrest 8" - 11" (Pair) | E0973 | STD |
| | U549 | Adjustable Height Armrest 12" - 15" (Pair) | E0973 | \$265.00 |
| | U550 | Flip-up Armrest 8" in height (Pair) | K0108 | \$825.00 |
| | U551 | Flip-up Armrest 9" in height (Pair) | K0108 | \$825.00 |
| | U552 | Flip-up Armrest 10" in height (Pair) | K0108 | \$825.00 |
| | U553 | Flip-up Armrest 11" in height (Pair) | K0108 | \$825.00 |
| | U554 | Flip-up Armrest 12" in height (Pair) | K0108 | \$825.00 |
| | U555 | Flip-up Armrest 13" in height (Pair) | K0108 | \$825.00 |
| | U556 | Flip-up Armrest 14" in height (Pair) | K0108 | \$825.00 |
| | U557 | Flip-up Armrest 15" in height (Pair) | K0108 | \$825.00 |
| ARM PADS (PAIR) | | | | |
| | U605 | 2" x 12" Gel Arm Pads | K0019 | STD |
| | U259 | 4" x 12" Gel Arm Pads | K0019 | \$196.00 |
| | U260 | 2" x 10" Labac Arm Pads | K0019 | \$232.00 |
| | U261 | 2" x 12" Labac Arm Pads | K0019 | \$260.00 |
| | U262 | 2" x 15" Labac Arm Pads | K0019 | \$278.00 |
| | U263 | 4" x 10" Labac Arm Pads | K0019 | \$304.00 |
| | U264 | 4" x 12" Labac Arm Pads | K0019 | \$328.00 |
| | U265 | 4" x 15" Labac Arm Pads | K0019 | \$350.00 |
| Wheels and Tires | | | | |
| DRIVE WHEELS/TIRES - 3" x 10" Steel Wheel Assembly (Pair) | | | | |
| | U184 | Air 2.5" x 10" Black Knobby Tread | K0108 | \$132.00 |
| | U183 | Air 3" x 10" Gray Universal Tread | K0108 | N/C |
| | U268 | Air 3" x 10" Black Universal Tread | K0108 | N/C |
| | U559 | Gel 2.5" x 10" Black Knobby Tread | K0108 | \$186.00 |
| | U560 | Gel 3" x 10" Gray Universal Tread | K0108 | STD |
| | U561 | Gel 3" x 10" Black Universal Tread | K0108 | N/C |
| DRIVE WHEELS/TIRES - 4" x 8" 2-Piece Aluminum Wheel Assembly (Pair) | | | | |
| | U185 | Air 4" x 8" Gray Universal Tread | K0108 | \$332.00 |
| | U257 | Air 4" x 8" Gray Studded Tread | K0108 | \$332.00 |
| | U186 | Air 4" x 8" Black Studded Tread | K0108 | \$332.00 |
| | U267 | Air 4" x 8" Black Tractor Tread | K0108 | \$400.00 |
| | U562 | Gel 4" x 8" Gray Universal Tread | K0108 | \$366.00 |
| | U563 | Gel 4" x 8" Gray Studded Tread | K0108 | \$366.00 |
| | U564 | Gel 4" x 8" Black Studded Tread | K0108 | \$366.00 |
| | U565 | Gel 4" x 8" Black Tractor Tread | K0108 | \$460.00 |



| Wheels and Tires | | | | |
|--|-----------------------------------|-------|----------|--|
| PART # | DESCRIPTION | HCPCS | PRICE | |
| DRIVE WHEELS/TIRES - 6.5" x 8" 2-Piece Aluminum Wheel Assembly (Pair) | | | | |
| U193 | Air 6.5" x 8" Black Tractor Tread | K0108 | \$500.00 | |
| U566 | Gel 6.5" x 8" Black Tractor Tread | K0108 | \$560.00 | |
| Note: Use of these wheels will result in a 30.5" base width at the tires. | | | | |
| CASTER WHEELS/TIRES | | | | |
| U567 | Air 3" x 4" Gray Ribbed Tread | K0108 | N/C | |
| U188 | Air 3" x 4" Black Ribbed Tread | K0108 | N/C | |
| U270 | Air 3" x 4" Black Studded Tread | K0108 | \$60.00 | |
| U568 | Gel 3" x 4" Gray Ribbed Tread | K0108 | STD | |
| U569 | Gel 3" x 4" Black Ribbed Tread | K0108 | N/C | |
| U570 | Gel 3" x 4" Black Studded Tread | K0108 | \$120.00 | |
| DUAL 2" X 4" CASTER ASSEMBLY - for MODEL 3 ONLY | | | | |
| U205 | Solid 2" x 4" Gray Ribbed Tread | K0108 | N/C | |
| NOTE: Assembly will shorten the length of the device by approximately 4". Assembly is NO CHARGE as a replacement of standard casters. | | | | |

| Optional Controls | | | | |
|--|--|-------|-----------|--|
| PART # | DESCRIPTION | HCPCS | PRICE | |
| OPTIONAL ADAPTIVE CONTROLS | | | | |
| U571 | Joystick with External Control Attachment - Comes with dual toggle switch box to control joystick functions. NOTE: For new chair sale only. Not available as a replacement part. | E2312 | \$105.00 | |
| The joystick function "On/Off" and "Horn" are controlled on one toggle. The joystick function "Mode" and "Level" are controlled on the second toggle. | | | | |
| U572 | Switch Box - Allows for 4 Tash style mono 1/8 stereo connector switches to be used in place of dual toggle box (Switches NOT INCLUDED). Requires U571 to operate. | E2313 | \$110.00 | |
| U579 | Chin Control Unit via External Joystick Housing - Includes boom and mounts | E2312 | \$2497.50 | |
| S108 | Alternate Control Interface - Required for Sip'n'Puff, Head Array and Chin Control (U580) | E2328 | \$5597.00 | |
| U573 | * Sip'n'Puff Control Unit - Requires safety switch | E2326 | \$351.90 | |
| U574 | * ASL Head Array Control Unit - Comes with safety switch | E2330 | \$5367.50 | |
| U578 | * Switch-it Head Array Control Unit - Requires safety switch | E2330 | \$7335.90 | |
| U580 | * Chin Control Unit - Requires safety switch Includes boom and mounts. | E2312 | \$1147.50 | |
| U581 | Infrared Safety Switch - Recommended for Sip'n'Puff | K0108 | \$985.00 | |
| U582 | Discrete Safety Switch - Recommended for Chin and Head Array | K0108 | \$170.00 | |
| OTHER CHARGES | | | | |
| | Whole Unit Freight (Mich. Freight TBD) | | \$500.00 | |

WARRANTY

This warranty has been drafted to comply with the U.S. Federal Law applicable to products manufactured after July 4, 1975. This warranty is extended only to the original purchaser/consumer or dealer/non-consumer that does not buy for resale. Your OmegaTrac is warranted to be free from defects in material and workmanship to the original owner for the following periods:

| | |
|--|--|
| Frame | Lifetime |
| Seat Frame/Subframes | Lifetime |
| Drive Train and Suspension Parts..... | 2 years |
| Drive and Steering Motors..... | 1 year |
| Control (Electronics & Joystick) | 1 year |
| Battery and Actuators..... | 6 months |
| Plastics, Tires, and Upholstery..... | 6 months for manufacturer defect only |
| Arm Pads, Headrest, and Handgrips..... | 6 months for manufacturer defect only (Normal Wear and Tear Not Covered) |

NEXT Mobility will repair or replace drive train and suspension parts manufactured by **NEXT Mobility** without charge if these parts fail in the first two years due to defect. All other parts not specifically identified above are warranted for SIX months from the original purchase date. **NEXT Mobility**, at its option, will replace or repair the defective product subject to the following terms, conditions and limitations.

NEXT Mobility will not warrant components damaged by abuse, improper use, immersion, improper installation or use outside of the design parameters of the chair as listed on the specification sheet. Improper use or unauthorized changes to the OmegaTrac and the First-Class® seating system will void all warranties.

Warranties cover parts and components only. All warranty work must be prior authorized by **NEXT Mobility**.

The Warranty period for the consumer commences on the first date a product is delivered to consumer by seller/dealer. If the product is rented or leased, the warranty period commences on the invoice date from **NEXT Mobility**. A copy of the invoice showing date of purchase must be provided. Without a proof of purchase date, warranty coverage shall commence upon **NEXT Mobility's** invoice date to the dealer/purchaser.

If within the warranty period, the product or component part is proven to **NEXT Mobility's** satisfaction to be defective, such product or part shall be repaired or replaced at **NEXT Mobility's** option. **NEXT MOBILITY'S SOLE OBLIGATION AND YOUR EXCLUSIVE REMEDY UNDER THIS WARRANTY SHALL BE**

LIMITED TO SUCH REPAIR AND/OR REPLACEMENT. This warranty does not include any labor charges incurred in replacement part(s) installation. Freight charges to the manufacturer are at the expense of consumer or purchaser, and will not be reimbursed.

LIMITATIONS AND EXCLUSIONS: The foregoing warranty shall not apply to serial numbered products if the serial number has been removed or defaced. Products subjected to negligence, abuse, misuse, improper operation, improper maintenance or improper storage, or damages beyond NEXT Mobility's control are not covered by this warranty, and that evaluation shall be solely determined by NEXT Mobility. This warranty shall not apply to problems arising from normal wear and tear or failure to follow instructions. The warranty shall also not apply to products modified without NEXT Mobility's express written consent; nor shall it apply if parts not manufactured by NEXT Mobility, or if parts not complying with original equipment specifications are added to NEXT Mobility's products, or if the product or part is serviced by an entity not authorized by NEXT Mobility.

The foregoing warranty is exclusive and in lieu of all other express warranties and implied warranties, including but not limited to the implied warranties of the merchantability and fitness for a particular purpose, and shall not extend beyond the duration of the express warranty provided herein, and the remedy for violations of any implied warranty shall be limited to the repair or replacement of the defective product or part pursuant to the terms obtained herein. **NEXT Mobility** shall not be liable for any consequential or incidental damages whatsoever.

This warranty gives you specific legal rights and you may also have other legal rights, which by location of purchase. Some locations do not allow the exclusion or limitations of incidental or consequential damage, or limitation on how long an implied warranty lasts, so the above exclusion and limitation may not apply to you.

For warranty service, **please contact the authorized dealer from whom you acquired your NEXT Mobility product.** In the event you do not receive satisfactory warranty service, please contact **NEXT Mobility**. Do not return products to our factory without prior authorization.

How to contact NEXT Mobility:

Next Mobility Website: www.nextmobilitynow.com
 c/o Customer Service Toll Free: 888-489-NEXT (6398)
 7444 N. Haggerty Road
 Canton, MI 48187 USA